



Technical textiles

**For indoor and
outdoor blinds.**

CONTENT

Textiles for indoor blinds	04
Textiles for wooden blinds	08
Textiles for outdoor blinds	10
Contact	16

JULIUS KOCH


.....WE KEEP IT TOGETHER.....

TEXTILES FOR INDOOR BLINDS



LADDER STRINGS

Standard types:

 Material
100% Polyester

15 mm

12/18,5-2T2V
Elongation (2,5 N/20 N): <1,6 %
Shrinkage: <1,1 %

16 mm

13.2/20.5-2T2VX
Elongation (0.5 N/20 N): <1.6 %
Shrinkage: <1.7 %

25 mm

21.5/28-2T2VX
Elongation (2.5 N/20 N): <1.2 %
Shrinkage: <1.5 %

25 mm


22/28-2T2VX
Elongation (2.5 N/20 N): <1.2 %
Shrinkage: <1.5 %

35 mm

28/37-2TFD
Elongation (2.5 N/30 N): <1.8 %
Shrinkage: <1.7 %


50 mm

42/54-2TSD
Elongation (5 N/30 N): <1.3 %
Shrinkage: <2.5 %



CORDS

Standard types:

 Material
100% Polyester

0.8 mm

Elongation (5 N/20 N): <2,6 %
Shrinkage: <2,0 %

1.0 mm

Elongation (5 N/30 N): <3,0 %
Shrinkage: <2,2 %

1.2 mm

Elongation (5 N/30 N): <2,8 %
Shrinkage: <3,0 %


1.4 mm with core

Elongation (5 N/30 N): <0,9 %
Shrinkage: <2,5 %

1.7 mm with core

Elongation (5 N/50 N): <2,0 %
Shrinkage: <2,0 %

Colour range for ladder strings and cords:




Other colours and types subject to our minimum requirements.
The colours may vary from the true colours. Please ask for an up-to-date colour sample.



LADDER TAPE FOR WOODEN BLINDS

Standard types:

 Material
100% Polyester


25 mm
Width: for 50 mm slats

38 mm
Width: for 50 mm slats



CORDS FOR WOODEN BLINDS

Standard types:

 Material
100% Polyester


G 2,3 mm

G 2,8 mm



LADDER STRINGS FOR WOODEN BLINDS

Standard types:

 Material
100% Polyester

50 mm 44/53-4T

35 mm 28/37-4T

25 mm 21,5/30-4T

Colour range for ladder tape, cords and ladder strings:

W77*	W13*	W81	W86
W56*	W12	W64*	W80*
W19	W07*	W82	W06*
W87	W83	W54	W04*
W30*	W05*	W57	

No minimum quantity for standard colours shown. Standard colours for 38 mm ladder tape are marked with *. The colours may vary from the true colours. Please ask for an up-to-date colour sample.


TEXTILES FOR OUTDOOR BLINDS





LOOP TAPE WITH KEVLAR

Standard types:

 Material
 Polyester with Kevlar

Pitch: 80 mm

Loop: 9.5 mm
 Breaking strength: >500 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %

Pitch: 60 mm

Loop: 9.5 mm
 Breaking strength: >500 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %

Colour range:

Grey


Black

Other colours and types subject to our minimum requirements.
 The colours may vary from the true colours. Please ask for an up-to-date colour sample.



LADDER STRINGS WITH KEVLAR

Standard types:

 Material
 Polyester with Kevlar

72/85-2T2V10GF Kevlar + KN (folding area) for flat slats

Pitch: 72 mm
 Inner width: 85 mm
 Breaking strength: >800 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %

72/85.5-2TD2VG1.3 Kevlar + KN (folding area) for beaded slats

Pitch: 72 mm
 Inner width: 85.5 mm
 Breaking strength: >800 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %

We also supply ladder strings suitable for automated assembly lines.
 Please contact one of our sales offices at info@juliuskoch.com for further information.

Colour range:


Grey

Black

Other colours and types subject to our minimum requirements.
 The colours may vary from the true colours. Please ask for an up-to-date colour sample.



Standard types:

 Material
100% Polyester

Webtex® G2 – 6.0 x 0,28 mm

Width: 6.0 mm +/- 0.1 mm

Thickness: 0.28 mm +/- 0.01 mm

Elongation: <1.5 % test weight 100 N

Shrinkage: <2.5 %

Webtex® G2 – 8.0 x 0.34 mm

Width: 8.0 mm +/- 0.1 mm

Thickness: 0.34 mm +/- 0.01 mm

Elongation: <1.5 % test weight 100 N

Shrinkage: <2.5 %

Colour range:

Grey

Black


Other colours and types subject to our minimum requirements.

The colours may vary from the true colours. Please ask for an up-to-date colour sample.

WHAT'S
YOUR
PROJECT?

Invite us!

We find
tailor-made and
cost-efficient
solutions.



Julius Koch GmbH Germany
Dorfstrasse 16 | D-23714 Kreuzfeld/Malente
☎ +49 45 23 99 69 0 📠 +49 45 23 99 69 99 ✉ info@juliuskoch.com 🌐 www.juliuskoch.com

Julius Koch GmbH Italy
Via Dante n° 8 | I-18035 Dolceacqua (IM)
☎ +39 0184 23 13 88 📠 +39 0184 23 00 45 ✉ info@juliuskoch.com 🌐 www.juliuskoch.com

Julius Koch GmbH Denmark
156 Skodsborg Strandvej | DK-2942 Skodsborg
☎ +45 33 32 51 32 ✉ info@juliuskoch.com 🌐 www.juliuskoch.com

Julius Koch GmbH China
No. 5666, Shenzhuan Road, HengYao Plaza, Building A, Room 1001 | Songjiang District, Shanghai, 201615
☎ +86 (21) 34 24 13 96 ✉ info@juliuskoch.com 🌐 www.juliuskoch.com

CONTACT

