



Loop tapes, lift tapes and ladder strings

**Textiles for
outdoor blinds**

TEXTILE SOLUTIONS FOR CHALLENGING TASKS.

Durability and colour authenticity are the two big topics when it comes to outdoor blinds. As a specialist for industrial textile solutions, we have offered our customers the best quality for more than 125 years, always meeting their highest requirements.

Developed for customizing.

Our textiles are made of strong solid polyester and therefore particularly suitable for long-term use. The dimensions and constructions shown in this catalogue correspond to our standard product range. However, we can of course produce individual specifications on request. Challenge us.



LOOP TAPES WITH KEVLAR

Standard types:

Pitch: 60 mm

Loop: 9.5 mm
 Breaking strength: >500 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %

Pitch: 80 mm

Loop: 9.5 mm
 Breaking strength: >500 N
 Elongation (5 N/50 N): <0,5 %
 Shrinkage: <0,5 %



LADDER STRINGS

Standard types:

72/85 - 2T2V10GF with/without Kevlar + KN (folding area) for flat slats
 Inner width: 85 mm

72/85.5-2TD2VG1.3 with/without Kevlar + KN (folding area) for beaded slats
 Inner width: 85.5 mm

Pitch: 72 mm
 Breaking strength: >800 N
 Elongation (5 N/50 N): <2.0 % (Polyester grey), <1.5 % (Polyester black), <0.5 % (with Kevlar)
 Shrinkage: <1.5 % (Polyester), <0.5 % (with Kevlar)

We also supply ladder strings suitable for automated assembly lines.
 Please contact one of our sales offices at info@juliuskoch.com for further information.




LIFT TAPES

Standard types:


Webtex® G2 - 6.0 x 0,28 mm
 Width: 6.0 mm +/- 0.1 mm
 Thickness: 0.28 mm +/- 0.01 mm
 Elongation: <1.5 % test weight 100 N
 Shrinkage: <2.5 %

Webtex® G2 - 8.0 x 0.34 mm
 Width: 8.0 mm +/- 0.1 mm
 Thickness: 0.34 mm +/- 0.01 mm
 Elongation: <1.5 % test weight 100 N
 Shrinkage: <2.5 %

GENERAL PRODUCT INFORMATION

 Material
 100 % Polyester
with Kevlar among others

Colour range for loop tapes, lift tapes and ladder strings:



The colours may vary from the true colours.

60 mm / 9.5 mm KEVLAR

80 mm / 9.5 mm KEVLAR



72/85-2T2V10GF

72/85.5-2TD2VG1.3 KEVLAR

Webtex G2
6.0 x 0.28 mm

Webtex G2
8.0 x 0.34 mm



WHAT'S
YOUR
PROJECT?

We find
tailor-made and
cost-efficient
solutions.



Julius Koch GmbH Germany
Dorfstrasse 16 | D-23714 Kreuzfeld/Malente

+49 45 23 99 69 0 +49 45 23 99 69 99 info@juliuskoch.com www.juliuskoch.com

Julius Koch Italy
Via Dante n° 8 | I-18035 Dolceacqua (IM)

+39 0184 23 13 88 +39 0184 23 00 45 info@juliuskoch.com www.juliuskoch.com

Julius Koch Denmark
156 Skodsborg Strandvej | DK-2942 Skodsborg

+45 33 32 51 32 info@juliuskoch.com www.juliuskoch.com

Julius Koch China
No. 5666, Shenzhuan Road, HengYao Plaza, Building A, Room 1001 | Songjiang District, Shanghai, 201615

+86 (21) 34 24 13 96 info@juliuskoch.com www.juliuskoch.com